

January 2011
PLEASE NOTE NEW PRICING

SATELLITE
PLANNING GUIDE & PRICE LIST

N U C R A F T



You design. Let us handle the details.

Nucraft offers a free, online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. • No special software is required, nor is there any learning curve. • The service applies to all Nucraft products including private office products, conference room products, reception stations, and training tables. • You can generate quick and accurate answers for budget estimates and/or quick and exact specifications for final quotes. • Revisions can be made any time you like, and total accuracy is guaranteed.

How it works. Called iSpec, this service is as close as your phone and your Internet-connected computer. You can use it anytime you need to configure, specify, or price Nucraft furniture. Here is how it works :



1. Schedule an iSpec session by calling 1-877-NUCRAFT or by visiting www.nucraft.com/ispec. (You will be asked to provide some preliminary information on the project. We will respect the confidentiality of the information.)



2. At the scheduled time, a Nucraft project specialist will contact you at the telephone number you provide.



3. You will be directed to the online collaboration site. (All you need is an Internet connection and a Web browser.)



4. Once you are at the site, the Nucraft project specialist will work with you in real time to configure the required product based on your specific direction. (Watch the screen as your workstation appears.)



5. When the specification process is completed, you will immediately receive 2-D or 3-D drawings, the specification itself with guaranteed accurate pricing, and the estimated lead time. (Follow-up sessions may be scheduled at your request to make any necessary modifications.)

iSPEC — IT'S FAST, IT'S FLEXIBLE, IT'S A FREE SERVICE FROM NUCRAFT.

Introduction

Nucraft Representatives	4-5
General Information	6
Finish Information	7
Surface Materials	8
COM Specification	9
Bench Fabric	10
Specification Tools	11
Environmental Statement	11

Nucraft Representatives

Absolute Office Inc.

Sue Henry (Ottawa)
Cal Lavallee
4340 Armitage Ave
Dunrobin, ON Canada KOA ITO
P 613-860-0440
F 613-832-2207
sue@absoluteoffice.ca
cal@absoluteoffice.ca

BLG Bruce/Longhino Group

Showroom
Fred Bruce
Janna Bruce
Jenny Wagner
7353 East Kemper Road, Suite B
Cincinnati, OH 45249
P 513-936-8475
F 513-936-8476
fred@blgreps.com
janna@blgreps.com
jenny@blgreps.com

Barry Longhino
1488 Brittingham Lane
Powell, OH 43065
P 614-846-0018
F 614-846-6739
barry@blgreps.com

Dean Willett
5610 Bentwood Drive
Mason, OH 45040
P 513-378-6305
F 866-303-2975
dean@blgreps.com

Danielle Andrews
5628 Norwaldo Ave.
Indianapolis, IN 46220
P 812-236-6117
danielle@blgreps.com

Jim Perry
1565 Chase Blvd.
Greenwood, IN 46142
P 317-374-6406
F 317-884-1463
jim@blgreps.com

Scott Kline
2413 Charing Cross Road NW
Canton, OH 44708
P 330-494-9618
F 330-494-9619
scott@blgreps.com

Wendy Worrall
240 Taylor James Blvd.
Wadsworth, OH 44281
P 330-844-0178
wendy@blgreps.com

Contract Associates Showroom

Bud Farag
323 North Washington St.
Alexandria, VA 22314
P 703-780-9278
F 703-780-1388
budfarag@aol.com

Michael J. Spade
4 River Road
Ellicott City, MD 21043
P 410-480-9831
F 410-480-9832
C 410-804-1206
michaelspade@comcast.net

Senem Atalay
14 Starlight Court
Potomac, MD 20854
P 202-680-8877
senematalay@comcast.net

Sandy Bricker
2612 Stonemill Pl.
Richmond, VA 23233
P 804-270-3488
F 804-270-5635
sbricker671@comcast.net

CS&A

Candace Gola
Pennie DePiero
Irene Dimmick
Tom Piersma
Janet Lee Wong
10916-B Le Conte Ave.
Los Angeles, CA 90024
P 310-824-0500
cgola@att.net
pennie.depiero@gmail.com
idimmick@sbcglobal.net
tompiersma@verizon.net
jleewong.csacontract@earthlink.net

Design Source (JCL)

Kipp Carpenter
Becky Hamilton
Donna Rohbock
432 East South Temple
Salt Lake City, UT 84111
P 801-961-8500
F 801-961-8600
kipp@designsourceslc.com
becky@designsourceslc.com
donna@designsourceslc.com

Eisaman Contract Associates

Edward Eisaman
Shannon Lindemer
Sharon Matthews
4063 Liberty Ave.
Pittsburgh, PA 15224
P 412-246-4715
F 412-246-0418
edward@eisaman.com
shannon@eisaman.com
issiesm@comcast.net

Facilitech Solutions

Jeff Larson
Lynne Larson
21166 Prestwick
Farmington Hills, MI 48335-1123
P 248-471-2384
F 248-471-6283
jefflarson@facilitech.biz
lynne@facilitech.biz

Facility & Design Resource

Matt Boyle
Shannon Will
Susan Welborn
219 Belgian Dr.
Spring City, PA 19475
P 610-640-0300
F 610-640-0302
mboyle@FDRPA.com
swill@FDRPA.com
swelborn@FDRPA.com

Tim Kalberer
45 Aristone Dr.
Berlin, NJ 08009
P 610-640-0300 x4
tkalberer@fdrpa.com

Furniture Resource Group

Bob Breeyear
Lisa Breeyear
1306 Waynewood Dr.
Waxhaw, NC 28173
P 704-243-2086
F 704-243-4619
moorspecspls@msn.com

Christie Beck
5500 Red Robin Rd.
Raleigh, NC 27613
P 919-788-0915
F 919-787-2748
christiebeck@msn.com

Garrison & Associates Inc.

Christine Garrison
Dale Kopley
18810 51st Ave. SE
Bothell, WA 98012
P 425-482-9342
F 425-482-9782
garrassoc@aol.com

Innovative Marketing Group

Russell Barnett
3540 Bonner Drive
Olive Branch, MS 38654
P 901-335-3288
F 662-893-0614
russellbarnett@aol.com

Chris Barnett
1391 Shetland Drive
Southaven, MS 38671
P 901-634-8620
F 662-893-0614
cabarnett42@yahoo.com

The Interiorguru

Maria Golding (Toronto)
2400 Winston Park Dr.
Oakville, ON Canada L6H0G7
P 647-260-1665
F 866-789-6057
C 416-557-2012
maria@theinteriorguru.com

JCL

Lynn Diaz
Jamie Beam-Wenger
Mattie Smith
1215 Delaware
Denver, CO 80204
P 303-777-7665
F 303-777-1535
lynn@jclnet.net
jamie@jclnet.net
mattie@jclnet.net

KSM Associates

Vernon Smith
Lynda Smith
P.O. Box 13593
Arlington, TX 76094-0593
P 817-461-4129
F 817-394-1976
vsmith@ksmassociates.com
lsmith@ksmassociates.com

Bill Dugger
210 Aurora St.
Houston, TX 77008
P 713-868-9333
F 713-868-9303
bdugger@ksmassociates.com

Reesa Duffin
22800 Bulverde Road
San Antonio, TX 78261
P 713-817-3020
F 713-868-9303
rduffin@ksmassociates.com

Chap Smith
PO Box 13593
Arlington, TX 76094
P 817-307-1340
F 817-394-1976
csmith@ksmassociates.com

McGlynn Associates

Paul Turenne
268 Summer St., Lower Level
Boston, MA 02110
P 617-347-3243
paul@mcglynnassociates.com

Dana DiFronzo
5 Ramshead Rd.
Medford, MA 02155
P 781-771-9423
F 781-723-0359
dana@mcglynnassociates.com

Jim Ward - CT
19 Greystone Lane
Avon, CT 06001
P 860-404-0899
F 860-404-0899
jim@mcglynnassociates.com

MRA Contract

Mark Riley
Sarah Parsons
Perinton Professional Bldg
1157 Fairport Rd
Fairport, NY 14450
P 585-586-7040
F 585-586-7080
mrariley@rochester.rr.com
sarahparsons@gmail.com

Nucraft

5151 West River Dr.
Comstock Park, MI 49321
P 877-NUCRAFT

Nucraft Chicago Showroom
222 Merchandise Mart Plaza, Suite 1166
Chicago, IL 60654

OfficeWorks Plus

John Sutton
160 Biscayne Ave.
Tampa, FL 33606
P 813-251-2282
F 813-254-1399
jsutton@officeworksplus.com

Cheryl Schmidt
1007 N. Federal Hwy. PMB# E5
Fort Lauderdale, FL 33304
P 954-563-4455
F 954-561-8652
cschmidt@officeworksplus.com

One Source

Julie Lajoye
Stephanie Fox
Christine Meredith
Rebecca Bockheim
Sue Fox
P 630-587-0907
F 630-587-0919
jl@onesourcechicago.com
sf@onesourcechicago.com
cm@onesourcechicago.com
rb@onesourcechicago.com
ssf@onesourcechicago.com

One Source Chicago Showroom
347 Merchandise Mart
Chicago, IL 60654
P 312-661-1442

Option Creation

Don Karrer
3148 Tollgate Rd.
St. Louis, MO 63129
P 314-749-8128
dwkarrer@aol.com

Kim Williams
306 Abbey Point Ct.
St. Louis, MO 63129
P 314-402-8124
kaw.williams@sbcglobal.net

Paula Como Associates

Paula Como
3948 West 131 Terrace
Leawood, KS 66209
P 913-897-4543
F 913-897-5951
paulacomo@kc.rr.com

The Pfeifer Group

Shiara Pfeifer
P 336-703-0689
shiara_pfeifer@yahoo.com

Prouve Contract Furniture

Christine Paulen
749 Wildwood Lane
Palo Alto, CA 94303
P 650-213-8671
F 650-213-8672
cpaulen@prouvecf.com

Karen Gish
6004 Villa Rosa Way
Elk Grove, CA 95758
P 916-799-8927
karen@prouvecf.com

RS Reps

David Simpson
Laura Rosen
1500 Southland Circle, Suite B1
Atlanta, GA 30318
P 404-452-6972
F 770-512-7260

Sales West Group, Inc.

Daniel Curatolo - Southern NV & AZ
Shannon Curatolo - AZ
6337 E. Desert Cove
Scottsdale, AZ 85254
P 480-607-6899
F 480-607-7654
dcuratolo@cox.net
scuratolo@cox.net

Terry DuBay
11831 N. Copper Butte
Oro Valley, AZ 85737
520-722-7705
terry.dubay@comcast.net

Sander Partnership Showroom

Tracey Katchen
Pauline Kaufman
Gina Moore
Joel Cortes
Jonathon Zhao
Brian Bates
36 W. 20th Street
9th Floor
New York, NY 10011
P 212-242-8887
F 212-242-3537
tkatchen@sandernyc.com
pauline@sandernyc.com
gina@sandernyc.com
jcortes@sandernyc.com
jzhao@sandernyc.com
brian@sandernyc.com

Lisa Chepke
3 Senator Levy Dr.
Suffern, NY 10901
P 917-584-2568
lisa@sandernyc.com

Schrader Hernke

M. Jay Schrader
Nancy Hernke
Shelley Hauge
250 Marquette Ave.
Minneapolis, MN 55401
P 651-699-4447
F 651-699-4144
jay@schraderhernke.com
nancy@schraderhernke.com
shelley@schraderhernke.com

Representatives by State**Alabama****Alaska****Arizona****Arkansas****California (Northern)****California (Southern)****Colorado****Connecticut****DC****Delaware****Florida****Georgia****Hawaii****Idaho****Illinois (Chicago)****Illinois (Southern)****Indiana****Iowa****Kansas****Kentucky****Louisiana****Maine****Maryland****Massachusetts****Michigan****Minnesota****Mississippi****Missouri****Montana****Nebraska****Nevada (Southern)****Nevada (Northern)****New Hampshire****New Jersey (Northern)****New Jersey (Southern)****New Mexico****New York (City)****New York (Upstate)****North Carolina****North Dakota****Ohio****Oklahoma****Oregon****Pennsylvania (East)****Pennsylvania (West)****Rhode Island****South Carolina****South Dakota****Tennessee****Texas (zips 798 - 799)****Texas (all other zips)****Utah****Vermont****Virginia****Washington****West Virginia****Wisconsin****Wyoming****Puerto Rico****Canada (Ottawa)****Canada (Toronto)****Mexico****Rosen Reps**

Garrison & Associates
Sales West Group, Inc.
KSM Associates
Prouve Contract Furniture
CS&A
JCL
McGlynn Associates
Contract Associates
Facility & Design Resource
OfficeWorks Plus
Rosen Reps
CS&A
JCL
One Source
Option Creation
Bruce/Longhino Group
Schrader Hernke
Paula Como Associates
Bruce/Longhino Group
KSM Associates
McGlynn Associates
Contract Associates
McGlynn Associates
Facilitech Solutions
Schrader Hernke
Contact Nucraft
Option Creation/Paula Como Associates
JCL
Paula Como Associates
Sales West Group, Inc.
Prouve Contract Furniture
McGlynn Associates
Sander Partnership
Facility & Design Resource
Sales West Group, Inc.
Sander Partnership
MRA Contract
Furniture Resource
Schrader Hernke
Bruce/Longhino Group
KSM Associates
Garrison & Associates
Facility & Design Resource
Eisaman Contract Associates
McGlynn Associates
Furniture Resource
Schrader Hernke
Innovative Marketing Group
Sales West Group, Inc.
KSM Associates
Design Source
McGlynn Associates
Eisaman Contract Associates
Garrison & Associates
Contact Nucraft
One Source
JCL

OfficeWorks Plus
Absolute Office, Inc
The Interiorguru
The Pfeifer Group

General Information

This price book supercedes all previous versions.

How to Order

Before placing your order, confirm you have all required information necessary. Lead times for orders begin after all required information is included and correct.

Delivery Information

Our goal has always been to provide the very best service to our customers. We know lead times are important and sticking to them even more so. We work to maintain a 6-8 week lead time on all standard products in this book from receipt of a clean order. All orders are acknowledged with an approximate shipping date and will be invoiced with the price in effect at the date the purchase order is received.

Shipping charges are prepaid (within the continental U.S.). Therefore, pricing is a delivered price based on normal ground transportation. If you have special instructions, need to ship by air, or are shipping to Alaska or Hawaii, contact Nucraft Customer Service. Nucraft can also help arrange to have products blanket wrapped for an additional charge. Contact Nucraft Customer Service team or specify it on your purchase order.

Minimum Freight Charge: Any order below \$1,600 net will be assessed an \$140 net minimum freight charge (one per order).

Orders are subject to acquiring the materials required for manufacturing. Fulfillment can be affected by strikes, fires, embargoes and acts of government. These elements are beyond our control.

Freight Terms

Shipping charges for Nucraft products are prepaid in the continental United States. Product ships FOB dock. The customer obtains title to their product and materials, and assumes the risk of loss for them, upon shipment from Nucraft's facilities.

Storage

Nucraft has no storage facilities for finished product. If a customer cannot accept an order when it is ready for shipment, the customer must designate an alternative shipping address. If no address is provided, Nucraft may, in its discretion, transfer the product to storage. If product is transferred to an off-site storage facility, the customer may be charged for transportation to the facility and for any associated storage fees. Nucraft considers transfer of the product to a storage facility the equivalent of shipment, including invoicing and payment. Customers assume the risk of damage or loss during storage.

Transportation Times and Delays

Third party carriers that Nucraft contracts with will make reasonable efforts to accommodate requested delivery times and dates. Scheduled delivery appointments may, however, be delayed for a variety of reasons, including inclement weather, traffic, transportation equipment problems, and delays encountered at other delivery locations along the delivery route. Nucraft does not recommend scheduling activities that depend on the delivery appointment (for example, scheduling furniture installers to install furniture the day of the delivery appointment). Nucraft shall not be liable for any costs incurred as a result of a missed delivery appointment.

Shipment Damage Claims

Legal title to merchandise passes to the buyer upon acceptance by the carrier. **Inspect all cartons upon delivery.** Details of visible damage should be noted on the delivery receipt. Do not install product if damage is found upon inspection. The carrier should be notified by the buyer to inspect the merchandise, and file a claim immediately. If visible damage is not apparent, sign the delivery receipt "No visible damage." This will allow recourse for a concealed damage claim. Although most claims for transportation

damages must be filed against the carrier within nine months of the date of delivery, concealed damage claims must be filed within 15 days of receipt.

Do not destroy packing materials until shipment has been inspected. Then proceed to file a claim with the carrier.

Failure to make any claims against Nucraft within 10 days shall constitute acceptance of the merchandise and a waiver of any defects, errors or shortages discovered upon inspection.

Cancellations

Cancellations must be reviewed by our Customer Service team. Because we build your products to order, orders cannot be cancelled once processing has begun. If cancellation is approved, a processing fee of 20-100% will be assessed based upon the manufacturing status of the order. Orders for specially constructed or finished products cannot be cancelled once the product is started.

Repair Authorization

Prior written approval is required for repairs of merchandise charged to Nucraft. Failure to do so will result in customer funded repairs.

Payment Terms

Terms of payment consist of a 1% cash discount for payment within 10 days of invoice date or payment of the net amount due within 30 days of the invoice date (1% 10 days, net 30 days). Discount is not allowed on credit card payments.

Credit Card Payments

When paying by credit card (Visa, Mastercard or American Express), include the card number, expiration date, card holder name (printed) and card holder signature on the purchase order. A credit card payment form is available upon request. No cash discount allowed on credit card payments.

Warranty

Nucraft warrants that each piece of furniture it manufactures will be free from defects in materials and workmanship for a period of ten years of single-shift use. Textiles, decorative trim, electrical components, lamps, mechanical devices, casters and custom-made products not described in Nucraft's catalog are warranted for one year from the date of original delivery. This warranty is applicable only if the furniture is given normal and proper care and is properly installed and maintained in an office environment. This warranty extends only to products manufactured and sold in North America and only to original purchasers acquiring new Nucraft products through authorized dealers, or from others specifically authorized by Nucraft to sell its products.

Nucraft's sole obligation under this warranty is to repair or replace, at Nucraft's discretion, products which prove to be defective during the warranty period. Purchasers may be required to establish that a claim is within the warranty period. To initiate a warranty claim, the purchaser should contact an authorized Nucraft dealer.

This warranty does not cover: 1) Damage caused by a carrier 2) COM (Customer's Own Material) specified by the customer that is not a standard product offering 3) Color, grain or texture of wood and other covering materials (due to the natural variations over which Nucraft has no control) 4) Damages resulting from user modification, attachments to a product, misuse, abuse, alteration or negligent use.

Nucraft extends no other warranties, expressed or implied, including warranty of merchantability or fitness for a particular purpose. Nucraft shall not be liable for loss of time, inconvenience, commercial loss, incidental or consequential damages.

Finish Information

Custom Finishes

Nucraft specializes in expert custom finish matching. For a nominal upcharge we can provide custom finishes, and we are frequently asked to match the finishes of other furniture manufacturers. For orders over \$5000 list, a finish sample will automatically be sent for approval prior to entering the order. Additionally, for finishes that appear unusual to match or for customers directly requesting a sample, a finish sample will also be sent for approval prior to entering the order.

Custom finishes requiring colored varnishes to create a painted look can only be applied to Maple veneer and require one extra week in addition to the standard leadtime. Nucraft's standard black finish (G82) can be applied to all Nucraft standard veneers. Walnut is the standard black veneer. Other species must be specified when ordering.

Custom finishes carry a 10% upcharge per item, per finish.

Do not add the finish upcharge to any item that is not wood. Example: casters, ganging connectors.

Treatments

Note: Incoming orders without a treatment specified will default to our standard Gloss treatment.

Gloss: Our standard treatment. Gloss is a durable finish that tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a medium gloss open pore appearance (40 – 50 sheen range). Finish numbers preceded by the letter "G" indicate a Gloss finish.

Matte: Like Gloss, Matte is durable, tends to nicely mask normal wear and leaves wood grain visible to the eye. It achieves a low luster, open pore appearance (10 – 20 sheen range). Finish numbers preceded by the letter "M" indicate a Matte finish.

High Gloss: A full filled hand rubbed treatment, High Gloss has a mirror-like appearance (80 – 90 sheen range). High Gloss treatments tend to show wear as well as grain and surface irregularities to a greater degree. Finish numbers preceded by the letter "H" indicate a High Gloss finish. **There is a \$389 upcharge per item for a High Gloss finish.**

When viewing a High Gloss finish from certain angles, you may notice subtle rubbing lines, which is characteristic of any rubbed finish treatment. High Gloss treatments are applied to top surfaces only of products up to 50" in height. A Gloss treatment is then applied to all other exposed surface areas.

Since each veneer type responds differently to both types of treatment, all will have a distinctive look and feel when finished. For example, a Walnut veneer with a Gloss treatment will remain much more textured than a Cherry veneer with the same treatment.

About the Wood

All Nucraft veneers are carefully selected for uniformity of color and grain. Still, wood is a natural substance and minor variations may occur due to its own uniqueness. Because of this, the furniture you receive may not be an exact match to our samples.

Nucraft takes great pride in our finish color consistency. However, wood is a natural product that will have color variation within a single piece of furniture, as well as from one piece to the next. Other factors also affect color over time, such as exposure to light (both intensity and duration). For example, lighter finishes cause more variation in colors over time.

In cases where a returning customer wants a precise match with existing furniture, we recommend sending a sample of the existing furniture finish. Please contact Nucraft Customer Service to determine an appropriate sample. This will ensure a finish match between old and new orders. This type of order is considered a control sample. There will be a 10% upcharge on an order of this type. Due to natural aging of veneers, natural finishes may vary.

Care and Maintenance

The finish material is a water white conversion varnish. This type of finish may be repaired in the field by a qualified refinisher. Contact our Nucraft Customer Service team for detailed touch-up and refinishing instructions.

We recommend the use of any water emulsion type polish to maintain the appearance of our products. **Caution:** while the use of polishes that contain wax, petroleum solvents or silicones may immediately enhance the "shine" of a product, it may also eventually remove the fine original finish applied in our factory. Silicone on the surface of wood may also make it very difficult to respray or refinish.

All Nucraft furniture is inspected and polished before it leaves our factory. In some instances, the packing materials may imprint on the factory polish. Cleaning and polishing the furniture once it is unpacked will normally restore the furniture to its original beauty.

In some cases, the rubber support feet used on the bottom of common office equipment (teleconferencing phones, laptops, microphones, copiers, etc.) can create unsightly marks in the surface of wood tops, due to oxidation of the lacquer finish. We suggest these machines be placed on a protective type of padding, such as felt.

Laminates

Selected WilsonArt laminates are available on Satellite Tables, A/V and Presentation Cart top insets as well as Conference Tables, Conference Room Furniture, Visual Boards and select Occasional Tables. For standard laminate and wood pricing, refer to individual item pricing columns.

Non-Standard Laminates

To order a color other than those on our list (see page 8), refer to Nevamar, WilsonArt, or Formica standard grade, matte texture or Pionite standard grade, suede texture laminate offerings (excluding manufacturers' non-standard matte offering). **Add \$85 list per item for a non-standard solid, matrix or pattern.** Add 20% per color for woodgrain laminates (includes stained-to-match for remainder of unit to match laminate color). Add one week to the lead-time for all non-standard laminate orders. Call the Nucraft Customer Service team for quotes on premium grades and laminates. Mirror and metal laminates are not available.

Surface Materials

WOOD FINISHES

	Matte	Gloss default finish	High Gloss \$389 upcharge per item
--	-------	----------------------------	--

Double Cut Maple (Fleet only)

Natural Maple	M2260	G2260	
---------------	-------	-------	--

Maple

Natural Maple*	M60	G60	H60
Amber Maple	M64	G64	H64

*Not available on Fleet

Cherry

Copper Cherry	M92	G92	H92
Auburn Cherry	M93	G93	H93
Spring Cherry	M95	G95	H95
CoCo Cherry	M96	G96	H96
Woodford Cherry	M98	G98	H98
Cordovan Cherry	M99	G99	H99

Walnut

Sierra Walnut	M14	G14	H14
Natural Walnut	M25	G25	H25
Mocha Walnut	M33	G33	H33
Marron Walnut	M35	G35	H35
Cafe Walnut	M36	G36	H36
Castano Walnut	M37	G37	H37
Onyx Walnut	M82	G82	n/a

Oak

Light Flat Cut Oak	M52	G52	n/a
Sorrel Flat Cut Oak	M54	G54	n/a
Mocha Flat Cut Oak	M56	G56	n/a

Light Rift Cut Oak**	M53	G53	n/a
Sorrel Rift Cut Oak**	M55	G55	n/a
Mocha Rift Cut Oak**	M57	G57	n/a

**Not available on Vertex, Odyssey, Camelot, Diamante, Eased Edge, Legere, Paragon, and Plaza.

Anigre (Premium)***

Golden Figured Anigre	M15	G15	H15
Copper Figured Anigre	M16	G16	H16
Natural Figured Anigre	M17	G17	H17

***Available only on Centric, Neos Conference and Tavola.

English Sycamore (Premium)****

Ashen English Sycamore	M40	G40	H40
Slate English Sycamore	M42	G42	H42

****Available only on Talis.

Black Limba (Premium)****

Sable Black Limba	M71	G71	H71
Morel Black Limba	M73	G73	H73

****Available only on Talis.

PAINTS

Pearl	S80
-------	-----

STONE TOPS

Absolute Black	AB-7-D
Vittoria Gold	VG-6-D
Black Impala	BI-5-D

Available only on select Occasional Tables. Stone orders may affect lead times. Please contact customer service for details.

3mm POLYPROPYLENE EDGE (FLEET AND SABER TRAINING ONLY)

Nickel	R43†
Black	R44
Graphite	RGR
Frosty White	RFW

†Not an exact match between Powder Coat and 3mm Edge colors

PVC EDGE COLORS (SATELLITE AND DUOMO ONLY)

Porcelain	V-250
Maritime Gray	V-627
Black Pearl	V-614
Black	V-653

WOOD GRAINED LAMINATES

Wood Grained Laminates		Matching Wood Finish
Limber Maple	10734-60	M-1073
Monticello Maple	7925-38	M-7925
Wild Cherry	7054-60	M-7054
Jewel Mahogany	WY351-H	G-WY351
Witchcraft	WX421-H	G-WX421

Wood grained laminates are not available on multiple piece conference tables.

Laminates

Frosty White	1573-60
White Sand	D403-60
Wallaby	D439-60
Mission Stucco	4850-38
Mission Smoke	4847-38
Shadow Zephyr	4857-60
Crisp Zephyr	4858-60
Desert Zephyr	4841-60
Canyon Zephyr	4842-60
Twilight Zephyr	4845-60
Sheer Mesh	4876-38
Grey Mesh	4877-38
Pewter Mesh	4878-38
Windswept Pewter	4795-60
Windswept Bronze	4794-60
Silicon EV	4811-60
Titanium EV	4810-60
Nickel EV	4813-60
Carbon EV	4820-60
Tungston EV	4814-60
Black	1595-60

PLEASE NOTE: Additional product specific material selections are listed, where applicable, in the Required Information section of each product.

Visual Boards & Easel Fabric

GUILFORD OF MAINE-LIDO FABRICS

Applies to Visual Board Tackboards and Easels

Hermosa	2858-010
Green Bay	2858-013
Moonstone	2858-015
Balboa	2858-019
Cape May	2858-023
Oak Bluffs	2858-024
Newport	2858-030
Smith Point*	2858-031
Sand Hill	2858-033
Huntington	2858-036
Padre	2858-052
Pine Valley	2858-054
Huron	2858-055
Rushmore	2858-057
Napa Valley	2858-062
Heartland	2858-064
Bryce Canyon	2858-065
Yellowstone	2858-067

*Default fabric

GRADED FABRIC PROGRAM

Top quality upholstery and fabrics have been graded into the price list. We work with various distributors and now offer a larger selection of fabrics. For fabric grades and availability, check our website at www.nucraft.com

NET PRICE PER YARD N U C R A F T G R A D E

\$19.99 and below	A
\$20.00 - 29.99	B
\$30.00 - 39.99	C
\$40.00 - 49.99	D
\$50.00 - 59.99	E
\$60.00 - 69.99	F
\$70.00 - 79.99	G
\$80.00 and above: contact Nucraft Customer Service	

For additional information on our graded-in fabrics program, please go to www.nucraft.com.

COM Specification for Visual Boards & Easels

For COM orders please include the following:

- Name of customer
- Customer's purchase order number
- Model number and quantity of piece(s) to be covered
- Specify right-way or railroad application (railroad is the default if no selection is made)
- If fabric is a stripe or pattern, specify vertical or horizontal application
- Supplier's name, material number and description

YARDAGE ESTIMATING

All yardages in the price list are based on 54" wide plain (no match) fabric. The following is a guide for fabrics that are less than 54" wide or have a pattern match.

Fabric Less Than 54" Wide

For 50" wide fabrics allow 10% additional fabric
 For 48" wide fabrics allow 15% additional fabric
 For 45" wide fabrics allow 20% additional fabric
 For 36" wide fabrics allow 50% additional fabric

For Pattern Match Fabrics

3" to 14" repeat allow 15% additional fabric
 15" to 19" repeat allow 20% additional fabric
 20" to 27" repeat allow 25% additional fabric
 28" to 36" repeat allow 30% additional fabric

Nucraft may add a charge for sewing, cutting and matching unusual COM or COL materials to cover additional costs. Call customer service for pricing.

It is the sole responsibility of the customer to determine that the fabric is appropriate for the application in which it will be used.

Once COM/COL is accepted, Nucraft assumes no responsibility for its overall appearance, flammability, normal durability, color fastness or any other quality after upholstered on a Nucraft product beyond our normal quality standards.

The fabric should be sent to the following address:

Nucraft Furniture Company
 5151 West River Drive
 Comstock Park, MI 49321
 Attn: Order Processing

Bench Fabric

GRADED FABRIC PROGRAM

Top quality upholstery and fabrics have been graded into the price list. We work with various distributors and now offer a larger selection of fabrics. For fabric grades and availability, visit www.nucraft.com

NET PRICE PER YARD	NUCRAFT GRADE
\$19.99 and below	A
\$20.00 - 29.99	B
\$30.00 - 39.99	C
\$40.00 - 49.99	D
\$50.00 - 59.99	E
\$60.00 - 69.99	F
\$70.00 - 79.99	G
\$80.00 and above: contact Nucraft Customer Service	

For additional information on our graded-in fabrics program, please go to www.nucraft.com.

FIRE RESISTANCE

All Nucraft benches incorporating upholstery fabrics meet California Technical Bulletin 116/117 and BIFMA X5.7 - Voluntary Upholstered Furniture Flammability Standard for Non-Residential, Non-Live-In Occupancies.

COM LEATHER SPECIFICS

The following is a guide for specifying leather requirements. The guide is based on the following general information.

A full "domestic" hide is approximately 50-60 square feet. A specialty or calf hide is approximately 35 square feet. Of this footage there are various non-usable areas included in the hide's size. Conversion of fabric yardage to leather is approximately 1 yard = 18 square feet.

Bench Requirements

48" benches will require 1/2 domestic hide or 1 full calf hide.

60" benches will require 1 domestic hide or 2 calf hides.

72" benches will require approximately 1 full domestic hide or 3 calf hides.

The boxing around the seat, if required, will have 4-6 seams that will be placed aesthetically based on the yield and usable remains of the hides.

Specification Tools

Computer Aided Planning

Nucraft products and pricing are available on CD via CAP (Computer Aided Planning), a product of 20 20 Technologies.

Cap Studio is an integrated software system developed specifically for interior designers and facility planners to enhance workplace performance. This modern suite of applications works together seamlessly, in concert. Navigate catalogs, select products, design in plan view and 3D, assign options, create worksheets and build a project where you want, when you want. Take your pick. It's dynamic and interactive. Design projects are a work in progress. And now you can perform any of the many discrete tasks that go into a project any time, any place.

For additional information you may contact 20 20 direct at 800-227-0038.

iSpec®

Nucraft offers a free online product configuration and specification service that saves you time and allows you to be creative while leaving the nuts and bolts to someone else. No specific software is required, nor is there any learning curve. This service applies to all Nucraft products. For additional information, call 1-877-NUCRAFT and ask for the iSpec Team or log on to www.nucraft.com/ispec.



Environmental Statement

Environmental Options

Nucraft is committed to supporting responsible environmental policies and practices in all that we do. We strive for sustainability, weighing our business decisions against the costs to the ecological, social and economic systems they affect.

Our products are manufactured to meet one or more of the following credit requirements of the U.S. Green Building Council's LEED rating systems:

Recycled Content

LEED Credit MR 4.1

Requirement: The sum of post-consumer recycled content plus 1/2 (one-half) of the pre-consumer content shall constitute at least 10% of the product (by weight).

LEED Credit MR 4.2

Requirement: The sum of post-consumer recycled content plus 1/2 (one-half) of the pre-consumer content shall constitute at least 20% of the product (by weight).

All standard Nucraft products consist of a high percentage of recycled content that far exceed the LEED requirements and vary by product line. For exact percentages, download the Environmental Statements for each respective product line at www.nucraft.com.

Rapidly Renewable Materials

LEED Credit MR 6

Requirement: Products shall consist of at least 5% (by weight) of materials made from plants that are typically harvested within a 10-year or shorter cycle.

Nucraft offers all wood products with an optional Rapidly Renewable construction to meet the LEED requirement for Rapidly Renewable content. Contact Nucraft Customer Service for details on how to order products with this construction. For exact percentages of Rapidly Renewable content by product line, download the Environmental Statements for each respective product line at www.nucraft.com.

Certified Wood

LEED Credit MR 7

Requirement: Products shall consist of at least 50% (by weight) of materials that are certified in accordance with the Forest Stewardship Council's Principles and Criteria.

Nucraft is a Forest Stewardship Council (FSC)-certified manufacturing facility and offers all wood products with an optional FSC-certified construction to meet the LEED requirement for Certified Wood. Contact Nucraft Customer Service for details on how to order products with this construction. For exact percentages of Certified Wood by product line, download the Environmental Statements for each respective product line at www.nucraft.com.

Low-Emitting Materials - Systems Furniture and Seating

LEED Credit EQ 4.5

Requirement: All systems furniture and seating that was manufactured, refurbished or refinished within one year prior to occupancy must meet the ANSI/BIFMA M7.1-2007 and ANSI/BIFMA X7.1-2007.

Aerial casegoods satisfy LEED Credit EQ 4.5 as they have been certified to the stringent ANSI/BIFMA X7.1-2007 Furniture Emissions Standard.

Satellite® Training Products

SHARED LEG TOPS

Pages 324 - 325





TABLE LEGS

Page 326



FOLDING TABLES

Page 327



STATIONARY T-LEG TABLES

Pages 327 - 329



STATIONARY C-LEG TABLES

Pages 327 - 329




STATIONARY CONNECTING TOPS

Page 329



COMPUTER TRAINING TABLES

Page 330




CPU BRIDGE

Page 330



MODESTY PANEL

Page 332




KEYBOARDS

Page 332




A/V CART

Page 333



PRESENTATION CART

Page 333



EASEL

Page 333





TABLE DOLLY

Page 333



Satellite® Planning


Section Contents

Electrical Components

Electrical Planning


Voice/Data Planning

Round Grommet and PowerPUP Locations



Legs

- Equipped with removable covers for cable routing.
- Inside of leg cover is slotted to allow power entry into the modesty panel.




Electrical System

- 8-wire, 4-circuit modular system.
- Transfers power between adjacent tables from a single point of entry.
- All components, except the plug-in power in-feed, are UL listed and meet NEC requirements; the plug-in power in-feed is not UL listed but does meet NEC standards.


Modesty Panel

- Attaches to table with tabs that latch into slots in the leg.
- Features a voice/data raceway with cover.
- Raceway cover is constructed of extruded PVC and contains cutouts for customer supplied modular furniture faceplates and snap-in connectors.
- Physical barrier between power and data channels meets Category 5 performance requirements.
- Mounting clips allow for optional field installation of modular electrical system.

Side Elevation View



End Elevation View



Satellite® Planning

Electrical System Components


Power Assembly

- Mounts into Technology Modesty Panel; contains two (2) power blocks for each table.
- Each power block accepts a duplex receptacle, providing up to four (4) outlets.
- Installs without tools.



Duplex Receptacle

- Mounts into the power assembly's power block.
- An installation's electrical requirements determine the number of receptacles and electrical circuits required. (See electrical planning details on pages 319-320.)




Power Jumpers

- Transfers power from table to table.
- Available in three lengths based on the power transfer application:
 - Table to table (30" length)
 - Table to CPU bridge (22" length)
 - Table to table, beneath a connection top or quarter round (42" length)



Plug Strip

- Designed for applications requiring less-extensive power requirements.
- Provides four (4) surge-protected electrical outlets from one 10'-long plug-in infeed.
- Mounts to Technology Modesty Panel in two locations, offering a maximum of eight (8) electrical outlets per modesty panel.



Power In-feed


- Carries electricity from the building's power source through the table's leg and into the Technology Modesty Panel, connecting to the table's power assembly.
- Enters the inside leg cover of any table in a configuration.
- CPU bridge does not accept the power infeed.
- Available in plug-in or hardwire options.

Plug-in In-feed

- Plugs into a 120 volt/20 amp receptacle, activating circuit #1 only.
- Equipped with 2' cord; table must be placed within 18" of receptacle.

Hardwire Option

- Activates up to four (4) circuits.
- Equipped with 7' cord.
- Must be installed by licensed electrician.




Electrical Planning

All circuits require a hot, neutral, and ground wire to be complete.

Satellite Training Table's 8-wire electrical system consists of the following:

- Circuit #1
 - Circuit #2
 - Circuit #3
- share neutral and ground
- Circuit #4
- share neutral and isolated ground



Each circuit is rated for a maximum of 20 amps of intermittent use or 16 amps of continuous load (continuous load defined as three hours or more of constant use). Nucraft recommends planning for continuous load. The National Electrical Code (NEC) restricts a 20 amp circuit to a maximum of 24 receptacles. In Canada, the national system is rated for 15 amps, and receptacles are limited to 20.

NOTE: The above standards are maximum amounts only. The equipment in a typical computer training application will often consume the amperage capacity using less than 24 receptacles. Always check your local codes for restrictions.

How To Determine What You Need

Before ordering or installing any electrical component, first consult with a licensed electrician.

1. Design The Furniture Layout

- Survey user needs and future reconfiguration requirements.
- Note the location of building power sources in the room; it may be necessary for the electrical contractor to re-route power to a more convenient outlet location.

2. Make An Equipment List

- Remember to consider equipment that may be added in the future.

3. Find The Amps

- Look for amperage information on each equipment item, either on the manufacturer's nameplate or in the user manual.
- Amperage is typically displayed as follows:
INPUT: 120V—1.8A (amperage shown here is 1.8)
- Round decimals up to the next whole number (1.8 would become 2).
- If the equipment power consumption is listed as watts, convert watts to amps using this formula:

$$\text{Watts} \div \text{Volts} = \text{Amps}$$

Satellite® Planning

Electrical Planning

How To Determine What You Need, continued

4. Total The Amps

- Multiply the amperage by the number of corresponding equipment items.

Equipment	Amps	Qty.	Total Amps
CPUs	3	6	18
Monitors	1	6	6
Printers	6	1	6
Lamps (future expansion)	1	6	6
			36

5. Divide Total Amps By 16 To Determine Number of Circuits


- Remember, the total amps available on each circuit (for continuous load) is 16.
- Divide 36 by 16.
- Take the new number — in this case 2.25 — and round it up to the next whole number (3).
- The result is that 3 circuits would be required, per each hardwire power infeed, to power the equipment listed.

6. Specify Products and Components.

- See the sample furniture layout below.

Sample Layout

This example depicts three (3) Satellite Training Tables and three (3) CPU Bridges, along with the equipment list featured above. Note that one (1) power infeed entering the left side of the configuration supplies electricity to all three tables; power jumpers route power from table to table.




Quantity	Product No.	Description
3	PV-SCT-3060-W-GC	Computer training table, laminate with PVC edge (PV), 30" x 60", wire management modesty panel (-W), and ganging connectors (-GC)
3	PV-SCB-30	CPU Bridge, 20"W x 30"D, laminate top with PVC edge
3	SPA-60	Power assembly for a 60" table; accepts two duplex receptacles (4 outlets)
3	SPA-CPU	Power assembly for a CPU bridge; accepts two duplex receptacles (4 outlets)
5	SPJ-TC	Power jumper from table-to-CPU bridge
3	SDR-1	Duplex receptacle for circuit 1
3	SDR-2	Duplex receptacle for circuit 2
3	SDR-3	Duplex receptacle for circuit 3
3	SDR-4	Duplex receptacle for circuit 4 (isolated and dedicated circuit)
1	SDR-H	Hardwire power infeed

Voice/Data Planning

Nucraft does not provide modular furniture faceplates and data connectors due to the vast variety of voice/data connectors available in the marketplace. Faceplates and connectors are customer supplied.

Nucraft recommends consulting an audio visual (AV) integrator for assistance with voice/data planning.

Modular Furniture Cutout Opening Dimensions




Voice/Data Product Manufacturers

Manufacturer	Phone Number	Web Site
AMP	1-800-522-6752	www.tycoelectronics.com
Avaya	1-866-462-8292	www.avaya.com
Leviton	1-800-722-2082	www.leviton.com
Panduit	1-800-777-3300	www.panduit.com
Siemon	1-860-945-4200	www.siemon.com

Satellite® Planning

Round Grommet or PowerPUP Locations

Rectangle



Half-Round



Arc Trapezoid



Trapezoid



Satellite® Shared Leg Tables


Specification Information

Satellite Shared Leg Tables are specified with legs and tops separately.

How to Determine the Quantity of Legs


Legs need to be specified based on the number of seams between tables and end of run. **Please note that each Sight Line top, Double Radius table and Half-Round table requires an additional leg for support.**

Vignette 1




Qty	Model Number	Description
6	SST-2460	60" Rectangle Top
4	SSQ-2424	24" Quarter Round Top
10	STC-24	24" C Leg

Vignette 2




Qty	Model Number	Description
5	SST-2460	60" Rectangle Top
2	SSQ-2424	24" Quarter Round Top
8	STC-24	24" C Leg

Vignette 3



Qty	Model Number	Description
4	SST-2460	60" Rectangle Top
4	SSQ-2424	24" Quarter Round Top
8	STC-24	24" C Leg

Vignette 4




Qty	Model Number	Description
2	SST-2460	60" Rectangle Top
2	SSH-2448	48" Half-Round Top
6	STC-24	24" C Leg

Vignette 5




Qty	Model Number	Description
4	SST-2460	60" Rectangle Top
5	STC-24	24" C Leg

Vignette 6




Qty	Model Number	Description
2	SST-2460	60" Rectangle Top
3	STC-24	24" C Leg

Vignette 7




Qty	Model Number	Description
4	SST-2460	60" Rectangle Top
1	SSZ-2448	Trapezoid Top
6	STC-24	24" C Leg

Vignette 8




Qty	Model Number	Description
6	SSZ-2448	Trapezoid Top
6	STC-24	24" C Leg

Vignette 9




Qty	Model Number	Description
1	SSS-6024-25	Sight Line Top
4	SST-2460	60" Rectangle Top
7	STC-24	24" C Leg


Vignette 10




Qty	Model Number	Description
2	SSD-2472	72" Double Radius Top
2	SST-2472-T	72" Rectangle Top
6	STC-24	24" C Leg

Satellite® Shared Leg Tops

Rectangle (Top Only)	Model #	L x W	Price				
			Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-	Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-	Veneer Top Comfort Wood Edge WC-
	SST-2442-[]	42 x 24	518	988	1086	988	1086
	SST-2448-[]	48 x 24	557	1063	1169	1063	1169
	SST-2460-[]	60 x 24	636	1214	1335	1214	1335
	SST-2472-[]	72 x 24	714	1364	1500	1364	1500
	SST-3042-[]	42 x 30	587	1120	1231	1120	1231
	SST-3048-[]	48 x 30	636	1214	1335	1214	1335
	SST-3060-[]	60 x 30	734	1402	1541	1402	1541
	SST-3072-[]	72 x 30	833	1590	1748	1590	1748
	SST-3660-[]	60 x 36	833	1590	1748	1590	1748
	SST-3672-[]	72 x 36	951	1815	1996	1815	1996

Trapezoid (Top Only)	Model #	A x B x C					
	SSZ-2448-[]	48 x 24 x 24	724	1382	1520	1382	1520
	SSZ-3060-[]	60 x 30 x 30	954	1822	2003	1822	2003

Arc Trapezoid (Top Only)	Model #	A x B x C					
	SSA-2442-[]	42 x 24 x 8	699	1334	1467	1334	1467
	SSA-2448-[]	48 x 24 x 14	752	1435	1578	1435	1578
	SSA-2460-[]	60 x 24 x 26	858	1638	1801	1638	1801
	SSA-2472-[]	72 x 24 x 38	964	1842	2025	1842	2025
	SSA-3048-[]	48 x 30 x 6	858	1638	1801	1638	1801
	SSA-3060-[]	60 x 30 x 18	991	1892	2081	1892	2081
	SSA-3660-[]	60 x 36 x 9	1124	2146	2360	2146	2360
	SSA-3672-[]	72 x 36 x 21	1283	2451	2694	2451	2694

Options:

For Rectangle Top:

- Grommet: Add -G (1) Grommet on 42"-48" tables, Add \$118 (3-1/2" from back edge centered)
(2) Grommets on 60"-72" tables, Add \$236 (3-1/2" from back edge, 7" from sides)

Modesty Panel Cover:

See page 200 for information

For Trapezoid & Arc Trapezoid

- Grommets: Add -G (1) grommet on all sizes, Add \$118

All Tops

Power & Voice/Data: See page 332.

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

Laminate Top/Modular PVC Edge [PV]

- Choose laminate selection. See page 8.
- Choose PVC color. See page 8.
- Choose applicable leg model number. See page 194.

Laminate Top/Modular Wood Edge [PW]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate selection. See page 8.
- Choose Applicable Leg Model number. See page 194.

Laminate Top/Comfort Wood Edge [PC]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate selection. See page 8.
- Choose applicable leg model number. See page 194.

Veneer Top/Modular Wood Edge [WW]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose applicable leg model number. See page 194.

Veneer Top/Comfort Wood Edge [WC]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose applicable leg model number. See page 194.



PV - Modular PVC Edge
(Laminate tops only)



PW and WW - Modular Wood Edge








PC and WC - Comfort Wood Edge

General Information:

- Note:** Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/4" thick and available in laminate or veneer surfaces
- PVC edges have a 2" corner radius and wood edges have 1/4" radius
- Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge

Satellite® Shared Leg Tops

						Price		
							Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-
							Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-
							Veneer Top Comfort Wood Edge WC-	
Double Radius (Top Only)	Model #	L x W	Opening					
	SSD-2460-	60 x 24				839	1602	1761
	SSD-2472-	72 x 24				943	1801	1980
	SSD-3072-	72 x 30				1099	2098	2307
Half-Round (Top Only)								
	SSH-2448-	48 x 24				668	1276	1403
	SSH-3060-	60 x 30				881	1682	1849
Quarter Round (Top Only)								
	SSQ-2424-	24 x 24				567	1083	1190
	SSQ-3030-	30 x 30				693	1323	1455
	SSQ-3636-	36 x 36				847	1617	1777
Sight Line (Top Only) - Use with 24" Wide Tops								
	SSS-4824-20-	48 x 24	20° Opening			607	1159	1274
	SSS-6024-20-	60 x 30	20° Opening			693	1323	1455
	SSS-4824-25-	48 x 24	25° Opening			607	1159	1274
	SSS-6024-25-	60 x 30	25° Opening			693	1323	1455
	SSS-4824-30-	48 x 24	30° Opening			607	1159	1274
	SSS-6024-30-	60 x 30	30° Opening			693	1323	1455
	SSS-4824-35-	48 x 24	35° Opening			607	1159	1274
	SSS-6024-35-	60 x 30	35° Opening			693	1323	1455
Sight Line (Top Only) - Use with 30" Wide Tops								
	SSS-6030-20-	60 x 30	20° Opening			800	1528	1680
	SSS-6030-25-	60 x 30	25° Opening			800	1528	1680
	SSS-6030-30-	60 x 30	30° Opening			800	1528	1680
	SSS-6030-35-	60 x 30	35° Opening			800	1528	1680

Options:

Modesty Panel Cover: See page 332 for information

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

Laminate top/Modular PVC Edge [PV]

- Choose laminate selection. See page 8.
- Choose PVC color. See page 8.
- Choose applicable leg model number. See page 194.

Laminate Top/Modular Wood Edge [PW]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate selection. See page 8.
- Choose applicable leg model number. See page 194.

Laminate Top/Comfort Wood Edge [PC]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate selection. See page 8.
- Choose applicable leg model number. See page 194.

Veneer Top/Modular Wood Edge [WW]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose applicable leg model number. See page 194.

Veneer Top/Comfort Wood Edge [WC]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose applicable leg model number. See page 194.



PV - Modular PVC Edge
(Laminate tops only)



PW and WW - Modular Wood Edge




PC and WC - Comfort Wood Edge

General Information:

- **Note:** Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/4" thick and available in laminate or veneer surfaces
- PVC edges have a 2" corner radius and wood edges have 1/4" radius
- Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge
- Corner Tops do not have ganging connectors and cannot be attached to a stationary table

Satellite® Shared Legs and Modesty Panels


Wire Management - Shared Legs Only	Model #	W x D x H	Description	Price
 C Leg	STC-24	24 x 27-3/4 x 27-3/4	24" C Leg	302
	STC-30	30 x 27-3/4 x 27-3/4	30" C Leg	320
	STT-36	36 x 27-3/4 x 27-3/4	36" T Leg	344

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Choose applicable model number:
 - 24" D worksurfaces: **STC-24** C-leg
 - 30" D worksurfaces: **STC-30** C-leg
 - 36" D worksurfaces: **STT-36** T-leg
- Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)

General Information:

- Shared legs must be specified at each seam between tops and at the end of runs. See page 323 for typicals.
- Sight Line, Double Radius & Half-Rounds require an additional leg for support

Modesty Panel - Shared Legs Only	Model #	W x D x H	Description	Price
 Wire Management Trough end view	SSMP-8	8 x 1-1/2 x 10-1/2	Modesty panel for quarter round	204
	SSMP-42	42 x 1-1/2 x 10-1/2	Modesty panel for 42" rectangle table	316
	SSMP-48	48 x 1-1/2 x 10-1/2	Modesty panel for 48" rectangle table	335
	SSMP-60	60 x 1-1/2 x 10-1/2	Modesty panel for 60" rectangle table	375
	SSMP-72	72 x 1-1/2 x 10-1/2	Modesty panel for 72" rectangle table	416


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)


- Choose Powder Coated Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)



General Information:

- Mounting brackets included
- Modesty panels attach with a bracket to the underside of the table tops
- J-channel wire management attached to back of Modesty Panel

Satellite® Stationary & Folding Tables

Stationary Tables	Model #	L x W x H	Price				
			Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-	Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-	Veneer Top Comfort Wood Edge WC-
	T-Legs						
	STT-2442-F	42 x 24 x 29	1168	1638	1736	1638	1736
	STT-2448-F	48 x 24 x 29	1207	1713	1819	1713	1819
	STT-2460-F	60 x 24 x 29	1286	1864	1985	1864	1985
	STT-2472-F	72 x 24 x 29	1364	2014	2150	2014	2150
	STT-3042-F	42 x 30 x 29	1237	1770	1881	1770	1881
	STT-3048-F	48 x 30 x 29	1286	1864	1985	1864	1985
	STT-3060-F	60 x 30 x 29	1384	2052	2191	2052	2191
	STT-3072-F	72 x 30 x 29	1483	2240	2398	2240	2398
	STT-3660-F	60 x 36 x 29	1483	2240	2398	2240	2398
	STT-3672-F	72 x 36 x 29	1601	2465	2646	2465	2646

	C-Legs						
	SCT-2442-F	42 x 24 x 29	1168	1638	1736	1638	1736
	SCT-2448-F	48 x 24 x 29	1207	1713	1819	1713	1819
	SCT-2460-F	60 x 24 x 29	1286	1864	1985	1864	1985
	SCT-2472-F	72 x 24 x 29	1364	2014	2150	2014	2150
	SCT-3042-F	42 x 30 x 29	1237	1770	1881	1770	1881
	SCT-3048-F	48 x 30 x 29	1286	1864	1985	1864	1985
	SCT-3060-F	60 x 30 x 29	1384	2052	2191	2052	2191
	SCT-3072-F	72 x 30 x 29	1483	2240	2398	2240	2398

Folding Tables	Model #	L x W x H	Weight				
	T-Legs						
	STT-2460-F	60 x 24 x 29	71	1486	2064	2185	2064
	STT-2472-F	72 x 24 x 29	80	1564	2214	2350	2214
	STT-3060-F	60 x 30 x 29	83	1584	2252	2391	2252
	STT-3072-F	72 x 30 x 29	94	1683	2440	2598	2440
	STT-3660-F	60 x 36 x 29	94	1683	2440	2598	2440
	STT-3672-F	72 x 36 x 29	108	1801	2665	2846	2665
	C-Legs						
	SCT-2460-F	60 x 24 x 29	71	1486	2064	2185	2064
	SCT-2472-F	72 x 24 x 29	80	1564	2214	2350	2214
	SCT-3060-F	60 x 30 x 29	83	1584	2252	2391	2252
	SCT-3072-F	72 x 30 x 29	94	1683	2440	2598	2440

Options:

Grommet:

Add **-G**

- (1) Grommet on 42"-48" tables, Add \$118
- (2) Grommets on 60"-72" tables, Add \$236

Locking Casters:

Add **-LC**

Add \$177 per table (tables with casters are 29-1/2" high)

Ganging Connectors:

Add **-GC**

Add \$125 per table (for end-to-end connections only)

Modesty Panel Cover:

See Page 332 for information

Power & Voice/Data:

See page 332.



Ganging Connector
-GC



PV - Modular PVC Edge
(Laminate tops only)



PW and **WW** - Modular Wood Edge



PC and **WC** - Comfort Wood Edge

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

Laminate Top/Modular PVC Edge [PV]

- Choose laminate. See page 8.
- Choose PVC color. See page 8.
- Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)

Laminate Top/Modular Wood Edge [PW]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate. See page 8.
- Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)

Laminate Top/Comfort Wood Edge [PC]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate. See page 8.
- Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)

Veneer Top/Modular Wood Edge [WW]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)








Veneer Top/Comfort Wood Edge [WC]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)

General Information:


- **NOTE:** Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/4" thick and available in laminate or veneer surfaces
- PVC edges have a 2" corner radius and wood edges have 1/4" radius
- Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge

Satellite® Stationary Tables

				Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-	Price Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-	Veneer Top Comfort Wood Edge WC-	
Half-Round									
	Model #	Length x Width x Height							
	T-Legs								
	STH-2448-		48 x 24 x 29	1318	1926	2053	1926	2053	
	STH-3060-		60 x 30 x 29	1531	2332	2499	2332	2499	
	C-Legs								
	SCH-2448-		48 x 24 x 29	1318	1926	2053	1926	2053	
	SCH-3060-		60 x 30 x 29	1531	2332	2499	2332	2499	
	Trapezoid								
	Model #	A x B x C x Height							
	T-Legs								
	STZ-2448-		48 x 24 x 24 x 29	1374	2032	2170	2032	2170	
	STZ-3060-		60 x 30 x 30 x 29	1604	2472	2653	2472	2653	
	C-Legs								
	SCZ-2448-		48 x 24 x 24 x 29	1374	2032	2170	2032	2170	
	SCZ-3060-		60 x 30 x 30 x 29	1604	2472	2653	2472	2653	
	Arc Trapezoid T-Legs								
	Model #	A x B x C x Height							
	STAZ-2442-		42 x 24 x 8 x 29	1349	1984	2117	1984	2117	
	STAZ-2448-		48 x 24 x 14 x 29	1402	2085	2228	2085	2228	
	STAZ-2460-		60 x 24 x 26 x 29	1508	2288	2451	2288	2451	
	STAZ-2472-		72 x 24 x 38 x 29	1614	2492	2675	2492	2675	
	STAZ-3048-		48 x 30 x 6 x 29	1508	2288	2451	2288	2451	
	STAZ-3060-		60 x 30 x 18 x 29	1641	2542	2731	2542	2731	
	STAZ-3072-		72 x 30 x 30 x 29	1774	2796	3010	2796	3010	
	STAZ-3660-		60 x 36 x 9 x 29	1774	2796	3010	2796	3010	
	STAZ-3672-		72 x 36 x 21 x 29	1933	3101	3344	3101	3344	
	Options:								
	Half-Round								
	Grommet:	Add -G	(1) Grommet, Center Back, Add \$118						
	Locking Casters:	Add -LC	Add \$177 per table						
	Ganging Connectors:	Add -GC	Add \$125 per table						
Trapezoid & Arc Trapezoid									
	Grommets:	Add -G	(1) grommet on all sizes, add \$118						
	Locking Casters:	Add -LC	\$177 per table						
	Ganging Connectors:	Add -GC	\$125 per table						
All									
Power & Voice/Data:				See page 332.					
REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)									
Laminate Top/Modular PVC Edge [PV]									
• Choose laminate. See page 8									
• Choose PVC color. See page 8									
• Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)									
Laminate Top/Modular Wood Edge [PW]									
• Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)									
• Choose laminate. See page 8									
• Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)									
Laminate Top/Comfort Wood Edge [PC]									
• Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)									
• Choose laminate. See page 8									
• Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)									
Veneer Top/Modular Wood Edge [WW]									
• Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)									
• Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)									
Veneer Top/Comfort Wood Edge [WC]									
• Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)									
• Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)									
General Information:									
• Due to the modular nature of these tables, exact grain matching between tables is not possible									
• Tops are 1-1/4" thick and available in laminate or veneer surfaces									
• PVC edges have a 2" corner radius and wood edges have 1/4" radius									
• Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge									
• Modesty panels not available on Trapezoid and Arc Trapezoid									



Grommet
-G



Ganging Connector
-GC



PV - Modular PVC Edge
(Laminate tops only)



PW and WW - Modular Wood Edge



PC and WC - Comfort Wood Edge

Satellite® Stationary Tables & Suspended Tops

	Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-	Price Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-	Veneer Top Comfort Wood Edge WC-
--	--	---	--	---	---

Quarter Round Top and Bases



Model:	L x W					
T-Leg						
STQ-2424-I	24 x 24	1217	1733	1840	1733	1840
STQ-3030-I	30 x 30	1343	1973	2105	1973	2105
STQ-3636-I	36 x 36	1497	2267	2427	2267	2427
C-Leg						
SCQ-2424-I	24 x 24	1217	1733	1840	1733	1840
SCQ-3030-I	30 x 30	1343	1973	2105	1973	2105

Connecting Tops (NO LEGS)



15°						
SSC-2424-15-I	24 x 24	686	1202	1309	1202	1309
SSC-3030-15-I	30 x 30	812	1442	1574	1442	1574
30°						
SSC-2424-30-I	24 x 24	686	1202	1309	1202	1309
SSC-3030-30-I	30 x 30	812	1442	1574	1442	1574
45°						
SSC-2424-45-I	24 x 24	686	1202	1309	1202	1309
SSC-3030-45-I	30 x 30	812	1442	1574	1442	1574
60°						
SSC-2424-60-I	24 x 24	686	1202	1309	1202	1309
SSC-3030-60-I	30 x 30	812	1442	1574	1442	1574
Quarter Round						
SSQ-2424-I GC	24 x 24	686	1202	1309	1202	1309
SSQ-3030-I GC	30 x 30	812	1442	1574	1442	1574

Options:

Modesty Panel Cover: See Page 332. SMP-8 is designed for these shape tables
 Locking Casters: Add -LC \$177 per table (quarter Round top with legs)

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

Laminate Top/Modular PVC Edge [PV]

- Choose laminate. See page 8
- Choose PVC color. See page 8
- Choose Powder Coated Metal Finish (STQ and SCQ only): Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

Laminate Top/Modular Wood Edge [PW]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate. See page 8
- Choose Powder Coated Metal Finish (STQ and SCQ only): Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

Laminate Top/Comfort Wood Edge [PC]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate. See page 8
- Choose Powder Coated Metal Finish (STQ and SCQ only): Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

Veneer Top/Modular Wood Edge [WW]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose Powder Coated Metal Finish (STQ and SCQ only): Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

Veneer Top/Comfort Wood Edge [WC]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose Powder Coated Metal Finish (STQ and SCQ only): Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

General Information:

- **NOTE:** Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/4" thick and available in laminate or veneer surfaces
- PVC edges have a 2" corner radius and wood edges have 1/4" radius
- Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge
- Grommets & PowerPUP's are not available
- Ganging Connectors are included. Adjacent table must also be ordered with ganging hardware.
- Modesty panels will default to finish of legs unless otherwise specified.




PV - Modular PVC Edge
(Laminate tops only)



PW and WW - Modular Wood Edge






PC and WC - Comfort Wood Edge



Ganging Connector

Satellite® Computer Training Tables

			Laminate Top Modular PVC Edge PV-	Laminate Top Modular Wood Edge PW-	Price Laminate Top Comfort Wood Edge PC-	Veneer Top Modular Wood Edge WW-	Veneer Top Comfort Wood Edge WC-
Rectangle Stationary Table							
	Model #	L x W x H					
	SCT-2442-W-	42 x 24 x 29	1781	2252	2350	2252	2350
	SCT-2448-W-	48 x 24 x 29	1871	2378	2484	2378	2484
	SCT-2460-W-	60 x 24 x 29	2052	2630	2750	2630	2750
	SCT-2472-W-	72 x 24 x 29	2232	2882	3017	2882	3017
	SCT-3042-W-	42 x 30 x 29	1850	2383	2495	2383	2495
	SCT-3048-W-	48 x 30 x 29	1950	2528	2649	2528	2649
	SCT-3060-W-	60 x 30 x 29	2150	2818	2957	2818	2957
	SCT-3072-W-	72 x 30 x 29	2350	3107	3265	3107	3265
Rectangle Folding Table							
	Model #	L x W x H					
	SCT-2460-FW-	60 x 24 x 29	2252	2830	2950	2830	2950
	SCT-2472-FW-	72 x 24 x 29	2432	3082	3217	3082	3217
	SCT-3060-FW-	60 x 30 x 29	2350	3018	3157	3018	3157
	SCT-3072-FW-	72 x 30 x 29	2550	3307	3465	3307	3465
CPU Bridge							
	Model #	L x W x H					
	SCB-30-[]	20 x 30 x 29	2092	3015	3207	3015	3207

Options:

Accessories for Technology Modesty Panel. See page 199

Locking Casters: Add **-LC** Add \$177 per table. Tables with casters are 29-1/2" high. (Not available on CPU Bridge)

Ganging Connectors: Add **-GC** Add \$125 per table. (CPU Bridge standard with ganging connectors. Ganging connectors are for end-to-end connections only)

Grommet: Add **-G** (1) Grommet on CPU, 42"-48" tables, Add \$118
(2) Grommets on 60"-72" tables, Add \$236

Power & Data: See page 332 for info. (Not available on CPU Bridge)

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

Laminate Top/Modular PVC Edge [PV]

- Choose laminate. See page 8.
- Choose PVC color. See page 8.
- Choose Powder Coated Metal Finish for Legs: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)
- Choose Powder Coated Finish for Modesty Panel: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

Laminate Top/Modular Wood Edge [PW]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate. See page 8.
- Choose Powder Coated Metal Finish for Legs: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)
- Choose Powder Coated Finish for Modesty Panel: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

Laminate Top/Comfort Wood Edge [PC]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose laminate. See page 8.
- Choose Powder Coated Metal Finish for Legs: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)
- Choose Powder Coated Finish for Modesty Panel: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

Veneer Top/Modular Wood Edge [WW]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose Powder Coated Metal Finish for Legs: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)
- Choose Powder Coated Finish for Modesty Panel: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

Veneer Top/Comfort Wood Edge [WC]

- Choose Wood Species & Finish: See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
- Choose Powder Coated Metal Finish for Legs: Nickel (A43), Metallic Silver (A47), Graphite (AGR), or Black (A44)
- Choose Powder Coated Finish for Modesty Panel: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

General Information:

- **NOTE:** Due to the modular nature of these tables, exact grain matching between tables is not possible
- Tops are 1-1/4" thick and available in laminate or veneer surfaces
- PVC edges have a 2" corner radius and wood edges have 1/4" radius
- Comfort wood edge is 2-1/8" wide with a waterfall hardwood curved edge on the users side only; the other (3) sides have a 1/4" square hardwood edge.
- CPU Bridge only connects to 30" deep tables with C-leg bases
- CPU Bridge houses (2) CPU towers with an available storage space of 16-1/2" x 17-1/2" D x 20 H
- Computer training tables come with two inside leg covers featuring additional cut-outs for routing power into modesty panel
- Modesty panel will default to finish of legs unless otherwise specified.



PV - Modular PVC Edge
(Laminate tops only)



PW and **WW** - Modular Wood Edge



PC and **WC** - Comfort Wood Edge

Satellite® Technology Modesty Panel Components

TRAINING PRODUCTS


PRESENTATION PRODUCTS

POWER & DATA PLANNING

OCCASIONAL TABLES


BENCHES

BOOKCASES & MODULAR SHELVING

Power Assembly	Model #	For Use With:	Price
	SPA-CPU	CPU Bridge	109
	SPA-42	42" Table	210
	SPA-48	48" Table	210
	SPA-60	60" Table	210
	SPA-72	72" Table	210


General Information:

- Field Installed into Technology Modesty Panel
- Order (2) Duplex Receptacles per Power Assembly

Duplex Receptacles	Model #	Description	Price
	SDR-1	For Circuit 1	27
	Hardwire Infeed Only		
	SDR-2	For Circuit 2	27
	SDR-3	For Circuit 3	27
	SDR-4	For Circuit 4 (isolated and dedicated circuit)	27

General Information:

- Field installed into Power Assembly

Power Jumpers	Model #	For Use With:	Price
	SPJ-TT	30" from Table to Table	140
	SPJ-TC	22" from Table to CPU Bridge	140
	SPJ-TQ	42" beneath a Connecting Top or Quarter Round Top	140

Power Infeeds	Model #	Description	Price
	SPI-H	Hardwire Power Infeed	273
	SPI-P	Plug-in Power Infeed	273

General Information:

- Power infeed enters the inside leg of a training table. (Infeed cannot mount into a CPU Bridge)
- Hardwire infeed includes 7' flexible conduit
- Hardwire power infeed must be installed by an electrician
- Plug-in power infeed includes 2' cord and powers only circuit 1 (Duplex Receptacles - SDR-1)
- Plug-in power infeed requires a 20 amp, 120 volt receptacle for plug-in

Plug Strip	Model #	Price
	SOA-100	369

General Information:

- 15 amps - Mounts into Technology Modesty Panel
- Includes (4) outlets, surge protection and 10' electrical cord


Chicago Electric Housing Option	Model #	Description	Price
	SPA-CHI	Chicago Electrical Housing	105

General Information:

- Many areas of the City of Chicago require hardwiring of all components and do not allow the use of standard modular power systems
- This housing is a convenient device that mounts into the Technology Modesty Panel and allows the electrician to hardwire the electrical components
- Fits standard size electrical receptacles
- Order (2) for each table, (1) for each CPU bridge

Satellite® Table Accessories



PowerPUP	Model #	L x W	Price
	PUP	8 x 4	315



General Information:

- PowerPUP option includes two simplex receptacles and two voice/data openings
- 10' cord and a 15amp plug-in power in-feed
- Voice/data modules must be ordered separately; contact your local AV integrator
- Default color to metal finish specified on tables (Black and Graphite receives Black Anodized PowerPUP, Metallic Silver and Nickel receives Clear Anodized)
- UL listed
- Detailed planning information found on page 262
- One PowerPUP per table, centered on Trapezoid 48" or bigger only

Modesty Panel Cover - J-channel wire management (Non-Powered)	W x D x H	For Use With:	
SMP-8	8 x 1-1/2 x 10-1/2	For quarter round or connecting top	205
SMP-42	42 x 1-1/2 x 10-1/2	For 42" rectangle table	315
SMP-48	48 x 1-1/2 x 10-1/2	For 48" rectangle table	334
SMP-60	60 x 1-1/2 x 10-1/2	For 60" rectangle table	373
SMP-72	72 x 1-1/2 x 10-1/2	For 72" rectangle table	414



Wire Management J-channel end view


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Choose Powder Coated Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

General Information:

- Wire management capable only. (No electrical, voice or data connections)
- 42"-72" modesty panel covers attach to the legs with a bracket which is provided
- 8" modesty panel covers attach with a bracket
- J-channel wire management comes attached to the back of the modesty panel cover

Technology Modesty Panel - Field Conversion Kit	W x D x H	For Use With:	
Stationary Table – Modesty Panel and Leg Covers			
SWMP-42	42 x 7 x 10-1/2	For 42" stationary table	644
SWMP-48	48 x 7 x 10-1/2	For 48" stationary table	699
SWMP-60	60 x 7 x 10-1/2	For 60" stationary table	803
SWMP-72	72 x 7 x 10-1/2	For 72" stationary table	911



Folding Table – Modesty Panel and Leg Covers

SWMP-60F	60 x 7 x 10-1/2	For 60" folding table	803
SWMP-72F	72 x 7 x 10-1/2	For 72" folding table	911

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)

- Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

General Information:

- Used only for converting non-computer tables in the field
- No tools required for attachment
- Includes Technology Modesty Panel and replacement leg covers only. Electrical components must be purchased separately

Keyboard Tray	W x D x H	Description	
KT-13	25 x 10 x 1	With Dual Mousing Surface	471
KT-1	20 x 10 x 1	With Single Mousing Surface	631



KT-13




KT-1

General Information:

- KT-13
Field Installed
Black finish
25" gel wrist rest
15 degrees +/- tilt, one touch adjustment for height and tilt
- KT-1
Field Installed
Black finish
Gel palm support on mouse platform
Ambidextrous quick connect tile and swivel mouse platform
15 degrees +/- tilt, one touch adjustment for height and tilt
- Tracks come with a Track Bridge that allows you to mount under worksurfaces with rod stiffeners.

CPU Holder	W x D x H	
CPU-101	3-1/4 to 8-1/2w x any x 13-1/2 to 24h	273




General Information:

- Field Installed
- Black finish
- Mounts under worksurface
- 360° Swivel
- Supports most CPU sizes (15"-23" H, 4-3/4" to 8-1/2" W, any depth)
- 33 lb. Capacity
- No tools needed to adjust height or width range
- 18" track length provides 13" in/out adjustment range

Satellite® Carts, Easels & Storage Dollies

A/V Cart	Model #	W x D x H	Price
----------	---------	-----------	-------



Options:
 Laminate Inset Top: Add **-P** Specify laminate selection
 Locks: Add **-L** \$222

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
 Choose Wood Species & Finish. See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
 Choose laminate selection if **-P** option is chosen. See page 8.
 Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

General Information:

- 3" non-locking casters standard
- Multiple outlet assembly included
- One adjustable shelf, one top roll-out shelf
- Rear door for easy wiring of A/V components
- Top shelf: 35" W x 25-3/4" D
- DVD/VCR shelf storage space: 27-3/4" W x 24" D x 5" H
- Storage space above interior roll-out shelf: 33-1/2" W x 17" D x 8" H
- Storage space below roll-out shelf (not including thickness of adjustable shelf) 33-1/2" W x 22" D x 16" H

Presentation Cart	Model #	W x D x H	Description	Price
-------------------	---------	-----------	-------------	-------




Options:
 Laminate Inset Top: Add **-P** Specify laminate selection
 Hinged Doors w/Lock: Add **-HD** Add \$465
 Keyboard Drawer: Add **-KD** Add \$511 (SPC model only)


REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
 • Choose Wood Species & Finish See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
 • Choose laminate if **-P** option is selected. See page 8 for information
 • Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

General Information:

- 3" non-locking casters included
- Multiple outlet assembly included
- Two adjustable shelves
- Optional Keyboard drawer mounts under top shelf
- Top shelf: 35" W x 25-3/4" D
- Overhead Projector Cutout: 16-1/2" W x 17-1/2" D x 6" H
- Storage space left & right side (EA): 16-1/2" W x 21-3/4" D x 26-1/4" H



Easel	Model #	W x D x H	Description	COM	Std. Guilford	Price: Fabrics							
				Yardage	or COM	A	B	C	D	E	F	G	



SCE-WT	36 x 27 x 79	One Side Tackboard	2.5	4077	4202	4265	4327	4389	4451	4514	4576	
		One Side Whiteboard										
SCE-WW	36 x 27 x 79	Both Sides Whiteboard	n/a	4532								

REQUIRED INFORMATION: (ORDER CANNOT BE ENTERED WITHOUT THIS INFORMATION)
 • Choose Wood Species & Finish See page 8. (Available in Oak, Rift-Cut Oak, Maple, Cherry & Walnut)
 • Choose Fabric selection (if applicable). See page 9. (Guilford Lido 031 Smith Point standard)
 • Choose Powder Coated Metal Finish: Nickel (A43), Metallic Silver (A47), Graphite (AGR) or Black (A44)

General Information:

- Includes locking casters, flip chart storage compartment, pen tray, storage drawer, eraser & four markers
- Flip chart holder fits standard Avery 3-hole pad size 27" W x 36" H (1/2" dia. holes with 8-3/4" spacing)
- Wood finish is applied to pen tray, drawer fronts, top and base trim
- Metal finish is applied to base, pulls on storage compartment and flip-chart holder

Table Storage Dolly	Model #	W x D x H	Description	Price
---------------------	---------	-----------	-------------	-------



General Information:

- 6" casters
- Black finish
- Accommodates all table sizes
- 6 table capacity per dolly
- Optional modesty panel rack holds 6 modesty panels
- Modesty panel rack has 11" long rods spaced 9-1/2" apart
- Shipped set up



January 2011

© 2011

SATELLITE PLANNING GUIDE & PRICE LIST

5151 West River Drive
Comstock Park, MI 49321

P 616.784.6016
F 616.784.4402
www.nucraft.com
1.877.NUCRAFT

NUCRAFT